


GBS 32-125

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 32-160

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 32-200

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 32-200L

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 32-250

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 40-125

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 40-125L

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 40-160

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 40-160H

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 40-200

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 40-200H

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 40-250

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 40-250L

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 50-125

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 50-125L

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 50-160

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 50-200

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 50-250

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 65-125

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 65-160

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 65-160L

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 65-200

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 65-250

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 65-315

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 80-160

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 80-200

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 80-250

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 65-250L

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 80-315

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 100-200

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 100-250

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900



GBS 100-315

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900




GBS 125-250

Curvas Características
Characteristic Curves
Courbes Caractéristiques


2900






P ₂	[kW] [HP]	GBS 32-125				GBS 32-160				GBS 32-200				GBS 32-200L				GBS 32-250			
		0,75	1,1	1,5	2,2	2,2	3	4	5,5	3	4	5,5	7,5	5,5	7,5	9,3	11	7,5	9,3	11	15
Carcasa/Frame/Armature		80L	80L	90S	90L	90L	100L	100L	132S	100L	100L	132S	132M	132S	132M	160M	160M	132M	160M	160M	160M
PN	[bar]	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
DN _s	[mm]	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
DN _d	[mm]	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
a	[mm]	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	100	100	100	100
h ₂	[mm]	140	140	140	140	160	160	160	160	180	180	180	180	180	180	180	180	225	225	225	225
L	[mm]	728	728	753	778	778	814	814	903	815	815	903	941	903	941	1041	1041	961	1061	1061	1061
l ₁	[mm]	630	630	670	674	678	706	706	754	706	706	760	796	760	796	890	890	808	890	890	890
l ₃	[mm]	240	240	260	262	264	278	278	302	278	278	305	323	305	323	370	370	329	370	370	370
b ₁	[mm]	200	200	200	200	250	250	250	267	250	250	267	267	267	267	315	315	330	330	330	330
b ₂	[mm]	280	280	280	280	330	330	330	347	330	330	347	347	347	347	415	415	430	430	430	430
b ₃	[mm]	244	244	244	244	294	294	294	311	294	294	311	311	311	311	369	369	384	384	384	384
Ød x z	[mm]	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6
a ₂	[mm]	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	68	68	68	68
h	[mm]	75	75	75	75	75	75	75	75	75	75	75	75	75	75	100	100	100	100	100	100
h ₃	[mm]	187	187	187	187	207	207	207	207	235	235	235	235	235	235	260	260	280	280	280	280
h ₄	[mm]	276	276	281	281	301	363	363	399	391	391	427	427	427	427	503	503	472	523	523	523
Peso neto Net weight Poids net	[kg]	71	72	77	82	91	105	106	142	110	111	147	156	145	154	187	195	166	200	208	224
Peso bruto Gross weight Poids brut	[kg]	131	132	137	142	151	165	166	206	170	171	211	220	209	218	260	268	239	284	292	308
Volumen bruto Gross volume Volume brut	[m ³]	0,199	0,199	0,204	0,210	0,252	0,262	0,262	0,296	0,285	0,285	0,322	0,333	0,322	0,333	0,473	0,473	0,454	0,495	0,495	0,495

P ₂	[kW] [HP]	GBS 40-125				GBS 40-125L				GBS 40-160				GBS 40-160H				GBS 40-200				GBS 40-200H			
		1,5	2,2	3	4	1,5	2,2	3	3	4	5,5	7,5	7,5	3	4	5,5	5,5	7,5	9,3	11	11	4	5,5	7,5	9,3
Carcasa/Frame/Armature		90S	90L	100L	100L	90S	90L	100L	100L	100L	100L	132S	132M	100L	100L	132S	132S	132M	160M	160M	160M	100L	132S	132M	160M
PN	[bar]	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
DN _s	[mm]	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65
DN _d	[mm]	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
a	[mm]	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	100	100	100	100	100	100	100	100
h ₂	[mm]	140	140	140	140	140	140	140	160	160	160	160	160	160	160	160	160	180	180	180	180	180	180	180	180
L	[mm]	752	777	814	814	752	777	814	815	815	903	941	815	815	903	923	961	1061	1061	1061	1061	835	923	961	1061
l ₁	[mm]	652	674	706	706	652	674	706	706	706	754	796	706	706	754	764	804	882	882	882	882	706	764	804	882
l ₃	[mm]	251	262	278	278	251	262	278	278	278	302	323	278	278	302	307	327	366	366	366	366	278	307	327	366
b ₁	[mm]	220	220	220	220	220	220	220	250	250	267	267	250	250	267	275	275	315	315	315	315	275	275	275	315
b ₂	[mm]	300	300	300	300	300	300	300	330	330	347	347	330	330	347	355	355	415	415	415	415	355	355	355	415
b ₃	[mm]	264	264	264	264	264	264	264	294	294	311	311	294	294	311	319	319	370	370	370	370	319	319	319	370
Ød x z	[mm]	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6
a ₂	[mm]	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
h	[mm]	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	100	100	100	100	75	75	75	100
h ₃	[mm]	187	187	187	187	187	187	187	207	207	207	207	207	207	207	235	235	260	260	260	260	235	235	235	260
h ₄	[mm]	281	281	343	343	281	281	343	363	363	399	399	363	363	399	427	427	503	503	503	503	391	427	427	503
Peso neto Net weight Poids net	[kg]	79	84	98	99	79	84	98	101	102	138	147	101	102	138	143	152	185	193	193	193	107	143	152	185
Peso bruto Gross weight Poids brut	[kg]	139	144	158	159	139	144	158	161	162	202	211	161	162	202	207	216	258	266	266	266	167	207	216	258
Volumen bruto Gross volume Volume brut	[m ³]	0,214	0,220	0,228	0,228	0,214	0,220	0,228	0,262	0,262	0,313	0,324	0,262	0,262	0,296	0,333	0,345	0,481	0,481	0,481	0,481	0,306	0,333	0,345	0,481



P ₂	[kW] [HP]	GBS 40-250				GBS 40-250L				GBS 50-125				GBS 50-125L				GBS 50-160				GBS 50-200			
		11	15	18,5	22	15	18,5	22	30	1,5	2,2	3	4	1,5	2,2	3	4	4	5,5	7,5	9,3	9,3	11	15	18,5
Carcasa/Frame/Armature		160M	160M	160L	180M	160M	160L	180M	200L	90S	90L	100L	100L	90S	90L	100L	100L	100L	132S	132M	160M	160M	160M	160L	
PN	[bar]	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	
DNs	[mm]	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	
DNd	[mm]	40	40	40	40	40	40	40	40	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	
a	[mm]	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
h2	[mm]	225	225	225	225	225	225	225	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	
L	[mm]	1061	1061	1103	1184	1061	1103	1184	1270	773	798	835	835	773	798	835	835	834	923	961	1061	1061	1061	1103	
l1	[mm]	890	890	930	974	890	930	974	1050	648	678	706	706	648	678	706	706	706	764	804	882	880	880	930	
l3	[mm]	370	370	390	412	370	390	412	450	249	264	278	278	249	264	278	278	278	307	327	366	365	365	390	
b1	[mm]	330	330	330	352	330	330	352	410	250	250	250	250	250	250	250	250	275	275	315	315	315	315	315	
b2	[mm]	430	430	430	482	430	430	482	540	330	330	330	330	330	330	330	330	355	355	355	415	415	415	415	
b3	[mm]	384	384	384	417	384	384	417	475	294	294	294	294	294	294	294	294	319	319	319	369	369	369	369	
Ød x z	[mm]	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	
a2	[mm]	68	68	68	98	68	68	98	98	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	
h	[mm]	100	100	100	125	100	100	125	125	75	75	75	75	75	75	75	75	75	75	75	100	100	100	100	
h3	[mm]	280	280	280	305	280	280	305	325	207	207	207	207	207	207	207	207	235	235	235	260	260	260	260	
h4	[mm]	523	523	523	599	523	523	599	633	301	301	363	363	301	301	363	363	391	427	427	503	503	503	503	
Peso neto Net weight Poids net	[kg]	212	228	265	321	228	265	321	374	81	86	100	101	81	86	100	101	106	142	151	184	188	196	212	249
Peso bruto Gross weight Poids brut	[kg]	296	312	349	409	312	349	409	479	141	146	160	161	141	146	160	161	166	206	215	257	261	269	285	322
Volumen bruto Gross volume Volume brut	[m ³]	0,495	0,495	0,512	0,673	0,495	0,512	0,673	0,815	0,251	0,258	0,268	0,268	0,251	0,258	0,268	0,268	0,305	0,333	0,345	0,481	0,481	0,481	0,481	0,497

P ₂	[kW] [HP]	GBS 50-250				GBS 65-125				GBS 65-160 / GBS 65-160L				GBS 65-200				GBS 65-250						
		15	18,5	22	30	2,2	3	4	5,5	5,5	7,5	9,3	11	15	18,5	22	30	18,5	22	30	37			
Carcasa/Frame/Armature		160M	160L	180M	200L	90L	100L	100L	132S	132S	132M	160M	160M	160M	160L	180M	200L	160L	180M	200L	200L			
PN	[bar]	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
DNs	[mm]	65	65	65	65	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
DNd	[mm]	50	50	50	50	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65
a	[mm]	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
h2	[mm]	225	225	225	225	180	180	180	180	200	200	200	200	225	225	225	225	225	225	225	250	250	250	250
L	[mm]	1061	1103	1184	1280	797	834	834	923	923	961	1061	1061	1061	1103	1184	1280	1213	1294	1380	1380	1380	1380	1380
l1	[mm]	890	930	974	1060	690	718	718	766	770	808	890	890	890	932	966	1060	1064	1086	1170	1170	1170	1170	1170
l3	[mm]	370	390	412	455	270	284	284	308	310	329	370	370	370	391	408	455	457	468	510	510	510	510	510
b1	[mm]	330	330	352	410	290	290	290	290	290	290	315	315	330	330	352	410	370	370	410	410	410	410	410
b2	[mm]	430	430	482	540	390	390	390	390	390	390	415	415	430	430	482	540	470	500	540	540	540	540	540
b3	[mm]	384	384	417	475	344	344	344	344	344	344	369	369	384	384	417	475	420	435	475	475	475	475	475
Ød x z	[mm]	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6
a2	[mm]	68	68	98	90	68	68	68	68	68	68	68	68	68	68	90	90	85	101	101	101	101	101	101
h	[mm]	100	100	125	125	100	100	100	100	100	100	100	100	100	100	125	125	100	125	125	100	125	125	125
h3	[mm]	280	280	305	325	260	260	260	260	260	260	260	260	260	260	280	280	305	325	300	325	325	325	325
h4	[mm]	523	523	599	633	354	416	416	452	452	452	503	503	523	523	599	633	543	619	633	633	633	633	633
Peso neto Net weight Poids net	[kg]	230	267	323	376	93	107	108	144	150	159	192	200	229	266	322	375	290	346	399	419	419	419	419
Peso bruto Gross weight Poids brut	[kg]	314	351	411	481	153	167	168	208	214	223	265	273	313	350	410	480	378	434	504	524	524	524	524
Volumen bruto Gross volume Volume brut	[m ³]	0,495	0,512	0,615	0,821	0,327	0,340	0,340	0,370	0,382	0,396	0,481	0,481	0,495	0,512	0,673	0,821	0,633	0,768	0,878	0,878	0,878	0,878	0,878



P ₂	[kW] [HP]	GBS 65-315				GBS 80-160				GBS 80-200				GBS 80-250				GBS 65-250L				
		55	75	90	110	7,5	9,3	11	15	18,5	22	30	37	45	37	45	55	75	30	37	45	55
Carcasa/Frame/Armature		250M	280S	280M	315S	132M	160M	160M	160M	160L	180M	200L	200L	225M	200L	225M	250M	280S	200L	200L	225M	250M
PN	[bar]	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
DN _s	[mm]	80	80	80	80	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
DN _d	[mm]	65	65	65	65	80	80	80	80	80	80	80	80	80	80	80	80	80	65	65	65	65
a	[mm]	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	100	100	100	100	100
h ₂	[mm]	280	280	280	280	225	225	225	225	225	250	250	250	250	280	280	280	280	250	250	250	250
L	[mm]	1537	1624	1624	1777	986	1086	1086	1086	1128	1319	1405	1405	1450	1405	1451	1537	1624	1380	1380	1426	1512
l ₁	[mm]	1290	1322	1374	1438	810	896	896	896	938	1092	1170	1170	1190	1204	1226	1314	1392	1172	1172	1194	1282
l ₃	[mm]	570	586	612	644	330	373	373	373	394	471	510	510	520	527	538	582	621	511	511	522	566
b ₁	[mm]	520	550	550	638	330	330	330	330	330	355	410	410	460	410	460	520	550	410	410	460	520
b ₂	[mm]	650	680	680	768	430	430	430	430	430	485	540	540	590	540	590	650	680	540	540	590	650
b ₃	[mm]	585	615	615	703	380	380	380	380	380	420	475	475	525	475	525	585	615	475	475	525	585
Ød x z	[mm]	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6
a ₂	[mm]	115	115	115	115	68	68	68	68	68	101	101	101	98	135	135	135	135	101	101	101	101
h	[mm]	125	125	125	125	100	100	100	100	100	125	125	125	125	125	125	125	125	125	125	125	125
h ₃	[mm]	375	405	405	440	280	280	280	280	280	305	325	325	350	325	350	375	405	325	325	350	375
h ₄	[mm]	789	850	850	966	474	523	523	523	523	599	633	633	678	633	678	789	850	633	633	678	789
Peso neto Net weight Poids net	[kg]	644	756	800	1049	171	205	213	229	266	338	391	411	448	425	462	633	745	399	419	456	627
Peso bruto Gross weight Poids brut	[kg]	775	917	961	1249	244	289	297	313	350	426	496	516	558	530	572	764	906	504	524	566	758
Volumen bruto Gross volume Volume brut	[m ³]	1,333	1,544	1,544	2,060	0,464	0,505	0,505	0,505	0,522	0,745	0,893	0,893	1,038	0,893	1,039	1,333	1,544	0,878	0,878	1,023	1,314

P ₂	[kW] [HP]	GBS 80-315				GBS 100-200				GBS 100-250				GBS 100-315				GBS 125-250				
		55	75	90	110	132	22	30	37	45	45	55	75	90	75	90	110	132	75	90	110	132
Carcasa/Frame/Armature		250M	280S	280M	315S	315M	180M	200L	200L	225M	225M	250M	280S	280M	280S	280M	315S	315M	280S	280M	315S	315M
PN	[bar]	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
DN _s	[mm]	100	100	100	100	100	125	125	125	125	125	125	125	125	125	125	125	125	150	150	150	150
DN _d	[mm]	80	80	80	80	80	100	100	100	100	100	100	100	100	100	100	100	100	125	125	125	125
a	[mm]	125	125	125	125	125	125	125	125	125	140	140	140	140	140	140	140	140	140	140	140	140
h ₂	[mm]	315	315	315	315	315	280	280	280	280	280	280	280	280	315	315	315	315	355	355	355	355
L	[mm]	1537	1624	1624	1777	1887	1319	1405	1405	1450	1466	1552	1639	1639	1639	1639	1792	1902	1639	1639	1792	1902
l ₁	[mm]	1266	1308	1358	1424	1476	1090	1166	1166	1188	1188	1274	1304	1354	1332	1382	1398	1448	1332	1382	1442	1468
l ₃	[mm]	558	579	604	637	663	470	508	508	519	519	562	577	602	591	616	624	649	591	616	646	659
b ₁	[mm]	520	550	550	638	638	370	410	410	460	460	520	550	550	550	550	638	638	550	550	638	638
b ₂	[mm]	650	680	680	768	768	500	540	540	590	590	650	680	680	680	680	768	768	680	680	768	768
b ₃	[mm]	585	615	615	703	703	435	475	475	525	525	585	615	615	615	615	703	703	615	615	703	703
Ød x z	[mm]	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6	22 x 6
a ₂	[mm]	90	90	90	90	90	95	95	95	95	95	95	95	95	115	115	115	115	115	115	115	115
h	[mm]	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125	125
h ₃	[mm]	375	405	405	440	440	325	325	325	350	350	375	405	405	405	405	440	440	405	405	440	440
h ₄	[mm]	789	850	850	967	967	619	633	633	678	678	789	850	850	850	850	967	967	850	850	967	967
Peso neto Net weight Poids net	[kg]	646	758	802	1051	1121	349	402	422	459	484	641	736	780	767	811	1060	1130	780	824	1073	1143
Peso bruto Gross weight Poids brut	[kg]	777	919	963	1251	1321	437	507	527	569	615	772	884	928	928	972	1260	1330	941	985	1273	1343
Volumen bruto Gross volume Volume brut	[m ³]	1,333	1,544	1,544	2,062	2,180	0,768	0,893	0,893	1,038	1,049	1,345	1,557	1,557	1,557	1,557	2,078	2,196	1,557	1,557	2,078	2,196